ELSEVIER

Journal of Non-Crystalline Solids 227–230 (1998) ix–xxiii

JOURNAL OF NON-CRYSTALLINE SOLIDS

Contents

Editorial vii
Committees / Sponsors viii
Contents Parts A and B ix
Memorial: Sir Nevill Mott xxv

Part A

Part I. Amorphous semiconductors

The Mott Lecture

Atomic structure and thermal stability of silicon suboxides in bulk thin films and in transition regions at $Si–SiO_2$ interfaces
G. Lucovsky 1

The Mott Memorial Lecture

Fundamental concepts in the physics of amorphous semiconductors
H. Overhof 15

Section 1. Growth

Recent developments in hot wire amorphous silicon (Invited paper)
R.S. Crandall, X. Liu and E. Iwaniczko 23

a-Si:H deposited at high rate on the cathode of a rf-PECVD reactor
S. Will, H. Mell, M. Poschenrieder and W. Fuhs 29

The effect of hydrogen dilution on the microstructure and stability of a-Si:H films prepared by different techniques
S. Bauer, B. Schröder and H. Oechsner 34

The application of low-frequency glow discharge to high-rate deposition of a-Si:H
B.G. Budaguan, A.A. Popov, A.Yu. Sazonov, M.N. Bosyakov, D.I. Grunsky and D.W. Zhuk 39

Defect formation mechanism during plasma enhanced chemical vapor deposition of undoped a-Si:H
K. Maeda and I. Umezu 43

Insights into surface reactions during a-SiGe:H deposition and hydrogen plasma annealing as obtained from infrared attenuated total reflection spectroscopy
K. Nakagawa, Y. Yoshida, S. Miyazaki and M. Hirose 48

In situ ellipsometry and atomic force microscopy study of the initial stage of hydrogenated silicon growth
H. Shirai, T. Nakamura and T. Arai 53

X-ray photoelectron spectra of adhesion-enhanced a-Si:H on stainless steel induced by plasma treatments
A. Gheorghiu-de La Rocque, N. Bertrand, P.A. Bonnefont, P. Bulkin, B. Drévillon and C. Sénémaud. 59

Band gap tuning of a-Si:H from 1.55 eV to 2.10 eV by intentionally promoting structural relaxation
K. Fukutani, M. Kanbe, W. Futako, B. Kaplan, T. Kamiya, C.M. Fortmann and I. Shimizu 63

From amorphous to microcrystalline silicon films prepared by hydrogen dilution using the VHF (70 MHz) GD technique
U. Kroll, J. Meier, P. Torres, J. Pohl and A. Shah 68

Microstructural evolution of a-Si:H prepared using hydrogen dilution of silane studied by real time spectroellipsometry
J. Koh, H. Fujiwara, R.W. Collins, Y. Lee and C.R. Wronski 73

Towards a better understanding of surfaces of hydrogenated amorphous silicon: investigation by STM and AFM
J. Herion, K. Szot, Ch. Ross and F. Siebke 78

Existence of surface region with high dangling bond density during a-Si:H film growth
S. Yamasaki, T. Umeda, J. Isoya and K. Tanaka 83

Section 2. Structural properties, hydrogen

Structural modelling using the reverse Monte Carlo technique: Application to amorphous semiconductors (Invited paper)
L. Pusztai 88

Properties of a new a-Si:H-like material: hydrogenated polymorphous silicon
C. Longeaud, J.P. Kleider, P. Roca i Cabarrocas, S. Hamma, R. Meaudre and M. Meaudre 96

The properties of powder particles incorporated in a-Si:H films
B.G. Budaguan, A.Yu. Sazonov and D.A. Stryahilev 100

Depth profiling of vacancy-type defects in homogenous and multilayered a-Si films by positron beam Doppler broadening
X. Zou, D.P. Webb, Y.C. Chan, Y.W. Lam, Y.F. Hu, M. Gong, C.D. Beling and S. Fung 105

Hydrogen states in silicon (Invited paper)
C.G. Van de Walle 111

Density of Si–H bonds responsible for structural flexibility in a-Si:H
H. Oheda 120

Non-bonded hydrogen in a-Si:H
R.E. Norberg, D.J. Leopold and P.A. Fedders 124

Structural defects and hydrogen clustering in amorphous silicon
S. Acco, D.L. Williamson, S. Roorda, W.G.J.H.M. van Sark, A. Polman and W.F. van der Weg 128

Temperature and growth-rate effects on the hydrogen incorporation in a-Si:H
W.M.M. Kessels, R.J. Severens, M.C.M. van de Sanden and D.C. Schram 133

Local hydrogen reactions of H_2^* in a-Si:H
J. Robertson, C.W. Chen, M.J. Powell and S.C. Deane 138

Determination of the hydrogen density of states in amorphous hydrogenated silicon
W.B. Jackson, A.J. Franz, H.-C. Jin, J.R. Abelson and J.L. Gland 143

Section 3. Transport and optical properties

Dispersive transport in disordered semiconductors (Invited paper)
R. Schwarz 148

Band tail states and the Anderson transition in amorphous silicon
D.A. Drabold and J. Dong 153

On the Einstein relation for hopping electrons
S.D. Baranovskii, T. Faber, F. Hensel and P. Thomas 158
Thermally stimulated conductivity at low temperatures in non-crystalline semiconductors
M. Zhu, S.D. Baranovskii, T. Faber, F. Hensel and P. Thomas 162
Random temporal fluctuations of localized-state energies
V.I. Arkhipov and G.J. Adriaenssens 166
Mobility fluctuations in hydrogenated amorphous silicon associated with deep defects
P.A.W.E. Verleg and J.I. Dijkhuis 172
High electric field hole mobility in a-Si:H
G. Juška, K. Arlauskas, B. Equer and R. Vanderhaghen 176
A comparative study of the Meyer–Neldel rule in porous silicon and hydrogenated amorphous silicon
Y. Lubianiker and I. Balberg 180
Time relaxation of space-charge-limited conductivity in a-Si:H
V. Cech, F. Schauer and J. Stuchlik 185
Non-radiative distant pair recombination in amorphous silicon (Invited paper)
R. Stachowitz, M. Schubert and W. Fuhs 190
Photoconductive properties of hydrogenated amorphous silicon in the light of the positive dangling bond as the main recombination centre – consequences from the defect pool model
R. Brüggemann and G.H. Bauer 197
Contact limitation of secondary photoconductivity in intrinsic a-Si:H
N. Kopidakis, P. Tzanetakis, P. Stradins and H. Fritzsche 201
The light intensity exponent of the minority carrier lifetime and the mobility gap states in a-Si:H
I. Balberg, Y. Lubianiker, L. Fonseca and S.Z. Weisz 206
Sign reversal in transient photoconductivity in the presence of optical bias in undoped homogeneous a-Si:H
D.P. Webb, C. Main, S. Reynolds, R. Brüggemann, Y.C. Chan and Y.W. Lam 211
Contactless measurements of the photocarrier lifetime in amorphous silicon by a heterodyne experiment
J. Strauß, M. Hundhausen and L. Ley 216
Photoconductivity gain over 10 at a large electric field in wide gap a-Si:H
W. Futako, T. Kamiya, C.M. Fortmann and I. Shimizu 220
Mobility-lifetime product in microdoped amorphous silicon deposited by hot-wire chemical vapor deposition
J.P. Conde, R. Castanha, P. Brogueira and V. Chu 225
Reexamination of high drift mobility a-Si:H
J. Kočka, H. Stuchlíková, A. Fejfar, G. Ganguly, I. Sakata, A. Matsuda and G. Juška 229
Noise and modulated photocurrents in amorphous semiconductors
S. Reynolds, C. Main and M.J. Rose 233
Stable photoconductivity in metastable a-Si:H under high-energy proton irradiation
N. Kishimoto, H. Amekura, K. Kono and C.G. Lee 238
Study of photoconductivity in TBP doped n-type hydrogenated amorphous silicon using Argon as carrier gas
R.M. Mehra, I. Kaur, P.C. Mathur and P.C. Taylor 243
Spatial and quantum confinement in crystalline and amorphous porous silicon (Invited paper)
I. Solomon, R.B. Wehrspohn, J.-N. Chazalviel and F. Ozanam 248
Hydrogenated amorphous silicon deposited by glow discharge of SiH_4 diluted with He: photoluminescence and electroluminescence in the visible region
K. Luterová, P. Knápek, J. Stuchlík, J. Kočka, A. Poruba, J. Kudrna, P. Malý, J. Valenta, J. Dian, B. Hönerlage and I. Pelant 254

Lateral photovoltage in hydrogenated amorphous silicon
A. Srivastava and S.C. Agarwal 259

Section 4. Metastability

Detection of photoinduced structural change in a-Si:H by bending effect
T. Gotoh, S. Nonomura, M. Nishio, N. Masui, S. Nitta, M. Kondo and A. Matsuda 263

Photoinduced structural change and defect creation in hydrogenated amorphous silicon
K. Shimizu, T. Tabuchi, M. Iida and H. Okamoto 267

Light-induced defect creation in a-Si:H: Metastable defects or metastable H atoms?
C. Godet 272

Metastability studies in silicon thin films: from short range ordered to medium and long range ordered materials
P. St'ahel, S. Hamma, P. Sládek and P. Roca i Cabarrocas 276

Reaction pathways for intrinsic and extrinsic defect metastability in light-soaked hydrogenated amorphous silicon—the Staebler–Wronski effect
G. Lucovsky and H. Yang 281

Stability of a-Si:H prepared by hot-wire and glow discharge using H_2 dilution evaluated by pulsed laser degradation
Ch. Hof, Y. Ziegler, R. Platz, N. Wyrsch and A. Shah 287

Relation between photocreated and thermally-quenched defects in a-Si:H
T. Shimizu, T. Nishino, M. Mitani and M. Kumeda 292

Light soaking in thermally quenched hydrogenated amorphous silicon
P. Agarwal and S.C. Agarwal 296

Kinetics of defect formation by illumination at temperature higher than 200°C in hydrogenated amorphous silicon
M. Meaudre and R. Meaudre 301

Anomalous relaxation of light-induced states of a-Si:H
A.G. Kazanskii, I.A. Kurova, N.N. Ormont and I.P. Zvyagin 306

Light-induced annealing of dangling bonds in He-diluted glow discharge a-Si:H films
K. Takeda, H. Hikita, A. Kondo, A. Ganjoo, K. Shimakawa and K. Morigaki 311

New experimental facts on the Staebler–Wronski effect
V. Nádaždy, R. Durný, I. Thurzo and E. Pinčík 316

Inverted Staebler–Wronski effect in nanocrystalline silicon
T. Matsumoto, M. Kondo, S.V. Nair and Y. Masumoto 320

Light-induced recombination centers in hydrogenated amorphous silicon–sulfur alloys
J.-H. Yoon, P.C. Taylor and C.-H. Lee 324

Relaxation of thermally induced defects in LPCVD amorphous silicon
P. Agarwal, M. Kostana, S.C. Agarwal and S.M. Pietruszko 328

Section 5. Defects, dopants, impurities

Microscopic nature of localized states in a-Si:H and their role in metastability (Invited paper)
S. Yamasaki, T. Umeda, J. Isoya, J.H. Zhou and K. Tanaka 332

The structure of dangling bonds having hydrogen at a nearby site in a-Si:H
K. Morigaki, H. Hikita, M. Yamaguchi and Y. Fujita 338

Electrically detected magnetic resonance of a-Si:H at low magnetic fields: the influence of hydrogen on the dangling bond resonance
M.S. Brandt, M.W. Bayerl, M. Stutzmann and C.F.O. Graeff 343

Identification of the dominant electron deep trap in amorphous silicon from ESR and modulated photocurrent measurements: implications for defect models
J.D. Cohen and D. Kwon 348

Energy location of light-induced ESR centers in undoped a-Si:H
T. Umeda, S. Yamasaki, J. Isoya, A. Matsuda and K. Tanaka 353

Cluster-model calculations of hyperfine parameters and g values for defects in a-Si:H
N. Ishii and T. Shimizu 358

Defects in hot-wire deposited amorphous silicon: results from electron spin resonance
T. Unold, R.C. Reedy and A.H. Mahan 362

Theory of dopant pairs in four-fold coordinated amorphous semiconductors
K. Kádas, G.G. Ferenczy and S. Kugler 367

Ab initio study of group V elements in amorphous silicon
A. Fazzio and P. Venezuela 372

Simulations of boron doping in a-Si:H
P.A. Fedders and D.A. Drabold 376

Interaction of phosphorus and boron in compensated amorphous silicon films
D. Caputo, G. de Cesare, F. Palma, M. Tucci, C. Minarini and E. Terzini 380

Relaxation to hopping conductivity in sulfur-doped hydrogenated amorphous silicon
J.-H. Yoon and P.C. Taylor 385

1.54 μm photoluminescence of Er-containing N-doped a-Si:H
A.R. Zanatta and L.A.O. Nunes 389

Photoluminescence at 1.54 μm of Er-doped hydrogenated amorphous silicon
M. Bresler, O. Gusev, A. Kuznetsov, V. Kudoyarova, E. Terukov, I. Yassievich, W. Fuhs, I. Ulber and G. Weiser 394

Erbium luminescence in a-Si:H
L.R. Tessler and A.R. Zanatta 399

Structural and conductivity change caused by N, O and C incorporation in a-Si:H
T. Shimizu, T. Ishii, M. Kumeda and A. Masuda 403

Contamination of silicon during ion-implantation and annealing
X. Liu, R.O. Pohl, S. Asher and R.S. Crandall 407

Section 6. Ge and alloys

Column III and V elements as substitutional dopants in hydrogenated amorphous germanium (Invited paper)
I. Chambouleyron and D. Comedi 411

Hydrogen incorporation scheme in a-Ge–N:H films studied by NMR and IR measurements
S. Ueda, H. Min, M. Kumeda and T. Shimizu 418

Transition from amorphous insulator to amorphous semiconductor in hydrogenated carbon–germanium films – investigations in submicrometer scale
P. Kazimierski, J. Tyczkowski, M. Delamar and H. Lehmberg 422

Bonding properties of rf-co-sputtering amorphous Ge–C films studied by X-ray photoelectron and Raman spectroscopies
J. Vilcarromero, F.C. Marques and J. Andreu 427

Defect distributions in a-Si_xGe_{1-x}:H
R. Carius, H. Stiebig, F. Siebke and J. Fölsch 432

The hydrogen effusion induced structural changes and defects in hydrogenated amorphous SiGe films: dependence upon the microstructure
P. Sládek, P. St'ahel, M.-L. Thèye and P. Roca i Cabarrocas 437

Effects of very high hydrogen dilution at low temperature on hydrogenated amorphous silicon germanium
M. Shima, A. Terakawa, M. Isomura, H. Haku, M. Tanaka, K. Wakisaka, S. Kiyama and S. Tsuda . . 442
Local order studies of C-rich amorphous silicon–carbon thin films
C. Sénémaud, A. Gheorghiu-de La Rocque, P.A. Bonnefont, T. Heitz, C. Godet and J.E. Bourée. . . . 447
Micro-crystalline phase formation in hot wire deposited Si:C:H alloy films from pure methane and silane mixtures
A.A. Kumbhar, R.O. Dusane, S. Bauer and B. Schröder 452
Effect of hydrogen radicals on properties and structure of a-$Si_{1-x}C_x$:H films
A. Tabata, H. Kamijo, Y. Suzuoki and T. Mizutani 456
Parameterization of the optical functions of a-$Si_{1-x}C_x$:H: applications to C depth-profiling and surface temperature monitoring in solar cell preparation
H. Fujiwara, J. Koh, C.R. Wronski, R.W. Collins and J.S. Burnham 460
Wide band gap a-SiC:H films for optoelectronic applications
F. Giorgis, F. Giuliani, C.F. Pirri, E. Tresso, J.P. Conde and V. Chu 465
The improvement on blue light emission from hydrogenated amorphous silicon carbide films prepared from an organic source
J. Xu, T. Ma, K. Chen, J. Du, X. Huang and D. Feng 470
Influence of thermal annealing on the ultraviolet stability of a-SiC:H thin films deposited from liquid organosilanes
J. Seekamp and W. Bauhofer 474
Alternative doped a-$Si_{1-x}C_x$:H and nc-$Si_{1-x}C_x$:H films
R. Tews, G. Suchaneck, A. Kottwitz, A.S. Abramov and A.I. Kosarev. 478
N-type doping in PECVD a-$Si_{1-x}C_x$:H obtained under 'starving plasma' condition
M.N.P. Carreño, I. Pereyra and H.E.M. Peres. 483
Room-temperature photoluminescence of amorphous hydrogenated silicon carbide doped with erbium
E.I. Terukov, V.Kh. Kudoyarova, A.N. Kuznetsov, W. Fuhs, G. Weiser and H. Kuehne 488
Photoluminescence enhancement by excimer laser irradiation in silicon oxide films prepared by pulsed laser ablation
A. Morimoto, H. Takizawa, Y. Yonezawa, M. Kumeda and T. Shimizu 493
Intense violet photoluminescence at room temperature in as-deposited a-Si:H:O films
S. Tong, X.-n. Liu, T. Gao, H. Yin, Y.-J. Chen and X.-m. Bao 498
Vibrational properties of siloxene: isotope substitution studies
N. Zamanzadeh-Hanebuth, M.S. Brandt and M. Stutzmann 503
Study of SiO_x decomposition kinetics and formation of Si nanocrystals in an SiO_2 matrix
B.J. Hinds, F. Wang, D.M. Wolfe, C.L. Hinkle and G. Lucovsky 507
Free carrier absorption in highly conducting amorphous oxides
K. Shimakawa, H. Hosono, N. Kikuchi and H. Kawazoe 513
Frequency resolved spectroscopy in a-Si:H/a-$Si_{1-x}N_x$:H multilayers and band-edge modulated a-$Si_{1-x}N_x$:H alloys (Invited paper)
C. Ogihara 517
Influence of rapid thermal annealing processes on the properties of SiN_x:H films deposited by the electron cyclotron resonance method
F.L. Martínez, I. Mártil, G. González-Díaz, B. Selle and I. Sieber 523
Defect structure in nitrogen-rich amorphous silicon nitride films
B. Yan, J.H. Dias da Silva and P.C. Taylor 528
Changes in the Poole–Frenkel coefficient with current induced defect band conductivity of hydrogenated amorphous silicon nitride
S.P. Lau, J.M. Shannon and B.J. Sealy. 533

Temperature-dependent photoluminescence and electroluminescence properties of polysilanes
N. Kamata, S. Aihara, W. Ishizaka, M. Umeda, D. Terunuma, K. Yamada and S. Furukawa 538
Transient electron transport in organic polysilane containing anthracene units
S. Mimura, T. Nakamura, H. Naito, T. Dohmaru and S. Satoh 543
Magnetoresistance and Hall effect in amorphous silicon–tantalum alloys near the metal–insulator transition
T. Wright, B. Popescu and C.J. Adkins 548
Influence of temperature on the optical absorption edge in amorphous Zn–P thin films
B. Jarząbek, J. Weszka, J. Cisowski and L. Bryja 554

Section 7. Amorphous carbon and related materials

Band model for electron emission from diamond-like carbon and diamond (Invited paper)
J. Robertson and W. Milne 558
Correlation between gap density of states and recombination processes in high electronic quality a-C:H
F. Giorgis, F. Giuliani, C.F. Pirri, A. Tagliaferro and E. Tresso 565
Time resolved photoluminescence of amorphous hydrogenated carbon
W. Lormes, M. Hundhausen and L. Ley 570
Photoluminescence of polymer-like amorphous carbon films grown in different plasma reactors
J.E. Bourée, T. Heitz, C. Godet, B. Drévillon, J.P. Conde, V. Chu, M.N. Berberan-Santos and A. Fedorov 574
Amorphous carbon luminescence; excitation and emission in a broad energy range
M. Koós, I. Pócsik, J. Erostyák and A. Buzádi 579
Optical investigations of the microstructure of hydrogenated amorphous carbon films
V. Paret, A. Sadki, Y. Bounouh, R. Alameh, C. Naud, M. Zarrabian, A. Seignac, G. Turban and M.L. Thèye 583
Theoretical studies of defects and nitrogen doping in tetrahedral amorphous carbon (Invited paper)
P.A. Fedders, D.A. Drabold and P. Stumm 588
Molecular dynamics simulations of amorphous carbon structures
K. Koháry, S. Kugler and I. László 594
Surface properties of diamond-like amorphous carbon
P.C. Kelires 597
Nature of disorder and localization in amorphous carbon
C.W. Chen and J. Robertson 602
p- and n-Type doping in carbon modifications
P.K. Sitch, G. Jungnickel, T. Köhler, T. Frauenheim and D. Porezag 607
Direct observation of sp^3 bonding in tetrahedral amorphous carbon UV Raman spectroscopy
K.W.R. Gilkes, H.S. Sands, D.N. Batchelder, W.I. Milne and J. Robertson 612
Analysis of amorphous carbon thin films by spectroscopic ellipsometry
J. Lee, R.W. Collins, V.S. Veerasamy and J. Robertson 617
Carbon clusters in amorphous hydrogenated carbon
S.G. Yastrebov, V.I. Ivanov-Omskii, V.I. Siklitsky and A.A. Sitnikova 622
Bonded and non-bonded hydrogen in diamond-like carbon
V.I. Ivanov-Omskii, M.P. Korobkov, B.R. Namozov, E.A. Smorgonskaya and S.G. Yastrebov 627
Properties of amorphous carbon films characterized by laser desorption time of flight mass spectroscopy
M. Sumiya, H. Enomoto, S. Fuke, T. Kato, S.S. Lee, O. Takai, A. Fejfar, J. Kočka and H. Koinuma . 632
Early stages of the growth of hydrogenated amorphous carbon investigated by in situ infrared ellipsometry
T. Heitz, B. Drévillon, J.E. Bourée and C. Godet 636

Preparation of fluorinated amorphous carbon thin films
H. Yokomichi, T. Hayashi, T. Amano and A. Masuda 641
Hydrogen induced changes on the electronic structure of carbon nitride films
P. Hammer, N.M. Victoria and F. Alvarez 645
Characterization of nitrogen in a-CN_x thin films by gas effusion spectroscopy
S. Yoshida, T. Itoh, N. Takada, S. Nitta and S. Nonomura 650
Preparation and properties of photoconductive amorphous carbon nitride a-CN_x films: the layer-by-layer method
S. Nitta, N. Takada, K. Sugiyama, T. Itoh and S. Nonomura 655
Space-charge oriented methods for studying organic amorphous semiconductors
F. Schauer 659
The time evolution of space charge limited current magnitudes in a hydrazone-doped polyester
J.M. Fair, D.M. Goldie and R.A.G. Gibson 664
Metastable states in poly(methylphenylsilylene) induced by UV radiation and electron beam
R. Handlir, F. Schauer, S. Nespurek, I. Kuritka, M. Weiter and P. Schauer 669

Author index Parts A and B xxvii
Subject index Parts A and B xlv

PART B

Section 8. Chalcogenides: photostructural changes

Photoinduced anisotropic structures in chalcogenide glasses
K. Tanaka and K. Ishida 673
Photoinduced reflectance anisotropy in chalcogenide glassy semiconductors
V. Lyubin, A.V. Kolobov, T. Yasuda, M. Klebanov, L. Boehm and K. Tanaka 677
Novel photoinduced anisotropy in amorphous $As_{50}Se_{50}$ films at near the glass transition temperature
P. Krecmer, M. Vlcek and S.R. Elliott 682
Mechanism and kinetics of photoinduced anisotropy in chalcogenide glasses
G.J. Adriaenssens, V.K. Tikhomirov and S.R. Elliott 688
Photoinduced anisotropy in Pr-doped sulfide glasses with varying composition and Pr content
V. Tikhomirov, P. Hertogen, G. Adriaenssens, V. Krasteva, G. Sigel, J. Kirchhof, J. Kobelke and M. Scheffler 694
Reversible photodarkening in As_2S_3 nanolayers
I.Z. Indutnyi and P.E. Shepeljavi 700
Photodarkening induced at low temperatures in amorphous Ge_xSe_{100-x} films
P. Nagels, L. Tichý, E. Sleeckx and R. Callaerts 705
Role of lone-pair electrons in reversible photostructural changes in amorphous chalcogenides
A. Kolobov, H. Oyanagi, A. Roy and K. Tanaka 710
Photoinduced structural changes in obliquely deposited As- and Ge-based amorphous chalcogenides: correlation between changes in thickness and band gap
Y. Kuzukawa, A. Ganjoo and K. Shimakawa 715
Photo-induced softening and hardening in Ge–As–S amorphous films
M. Popescu, F. Sava, A. Lõrinczi, E. Skordeva, P.-J. Koch and H. Bradaczek 719
Radiation-induced structural transformations in vitreous chalcogenide semiconductors
V.O. Balitska and O.I. Shpotyuk 723
Photo-induced crystallization in amorphous $GeSe_2$ studied by Raman scattering
Y. Wang, O. Matsuda, K. Inoue and K. Murase 728
Anisotropic laser crystallization of a-Se
V.K. Tikhomirov, P. Hertogen, G.J. Adriaenssens, C. Glorieux and R. Ottenburgs 732

Laser-induced polarization-dependent photocrystallization of amorphous chalcogenide films
V. Lyubin, M. Klebanov, M. Mitkova and T. Petkova 739
High efficiency diffraction gratings in As–S layers
M. Vlcek, P.J.S. Ewen and T. Wagner 743
Influence of an electrical field on optical recording in chalco-halide glasses
M. Mitkova, I. Iliev, V. Boev and T. Petkova 748

Section 9. Chalcogenides: structural properties

The structure of As_xS_{100-x} glasses studied by temperature-modulated differential scanning calorimetry and Raman spectroscopy
T. Wágner, S.O. Kasap, M. Vlček, A. Sklenář and A. Stronski 752
Resonant Raman scattering in GeS_2
K. Tanaka and M. Yamaguchi 757
Low frequency Raman scattering in amorphous Ge_XS_{1-X}
H. Ogura, K. Matsuishi and S. Onari 761
Effect of mean lattice coordination on the backward-wave phonon echoes in chalcogenide glasses
N. Bollé, L. Michiels and G.J. Adriaenssens 765
Asymmetries in local bonding sites in amorphous semiconductors: very high field NMR of ^{75}As
P.C. Taylor, P. Hari, A. Kleinhammes, P.L. Kuhns, W.G. Moulton and N.S. Sullivan 770
A muon investigation of hydrogen centres in chalcogenide glasses
E. Mytilineou, M. Kay, E.A. Davis and S.F.J. Cox 775
Electronic and chemical Ag-crystallization in Ag–As–S glasses
N. Yoshida and K. Tanaka 779
Scanning-tunneling-microscope modifications of Cu(Ag)-chalcogenide glasses
M. Ohto and K. Tanaka 784
Metastable, drawing-induced crystallization in As_2Se_3 fibers
P. Hari, P.C. Taylor, W.A. King and W.C. LaCourse 789
Pressure-induced amorphization of germanium diselenide
Z.V. Popovic, Y.S. Raptis, E. Anastassakis and Z. Jaksic 794
Dynamics of glass transition of bulk a-Se and Se clusters incorporated into zeolites
K. Matsuishi, K.-i. Nogi, H. Ogura, S. Onari and T. Arai 799

Section 10. Chalcogenides: transport and electronic properties

Novel n-type conducting amorphous chalcogenide $CdS \cdot In_2S_x$: an extension of working hypothesis for conducting amorphous oxides (Invited paper)
H. Hosono, H. Maeda, Y. Kameshima and H. Kawazoe 804
High field carrier transport and kinetics in amorphous $Ge_{15}Te_{81}Sb_2S_2$ thin films
C. Main and A.E. Owen 810
On the temperature dependence of dispersion parameters in amorphous semiconductors
K. Seto, T. Nagase and H. Naito 815
The temperature dependence of the time-averaged drift mobility in As_2S_3 glass derived from PA measurements
A.M. Andriesh, I.P. Culeac, P.J.S. Ewen and A.E. Owen 820
Determination of free carrier recombination lifetime in amorphous semiconductors: application to the study of iodine doping effect in arsenic triselenide
T. Nagase and H. Naito 824
Relaxation process of photo-excited states in $GeSe_2$ glass investigated by time-resolved photoluminescence
O. Matsuda, Y. Saitoh, K. Yamagata, Y. Wada, Y. Wang, K. Inoue and K. Murase 829

Prediction and measurement of the optical properties of amorphous Ge_xSe_{1-x}
S.J. Gurman, J. Choi and E.A. Davis 833
Effect of electron-induced dichroism in vitreous As_2S_3
O.I. Shpotyuk, V.O. Balitska and M.M. Vakiv 837
Negative correlation energy in amorphous selenium: experimental evidence
A.V. Kolobov, M. Kondo, A. Matsuda and K. Tanaka 842

Part II. Microcystaline semiconductors

Section 11. Growth and structure

Influence of hydrogen on the structural order of microcrystalline silicon during the growth process
I. Beckers, N.H. Nickel, W. Pilz and W. Fuhs 847
Low temperature growth of highly crystallized silicon thin films using hydrogen and argon dilution
S. Hamma and P. Roca i Cabarrocas 852
Control of crystallinity of microcrystalline silicon film grown on insulating glass substrates
J.-H. Zhou, K. Ikuta, T. Yasuda, T. Umeda, S. Yamasaki and K. Tanaka 857
High deposition rates for microcrystalline silicon with low temperature plasma enhanced chemical vapor deposition processes
P. Hapke and F. Finger 861
Growth of microcrystalline silicon using the layer-by-layer technique at various plasma excitation frequencies
O. Vetterl, P. Hapke, F. Finger, L. Houben, M. Luysberg and H. Wagner 866
Nanoparticle formation in low-pressure silane plasmas: bridging the gap between a-Si:H and μc-Si films
P. Roca i Cabarrocas, S. Hamma, S.N. Sharma, G. Viera, E. Bertran and J. Costa 871
Optical determination of the mass density of amorphous and microcrystalline silicon layers with different hydrogen contents
Z. Remeš, M. Vaněček, P. Torres, U. Kroll, A.H. Mahan and R.S. Crandall 876
Solubility and diffusion of hydrogen in hydrogenated crystalline and amorphous silicon
W. Beyer and U. Zastrow 880
Influence of grain boundaries on hydrogen transport in polycrystalline silicon
N.H. Nickel, W.B. Jackson and J. Walker 885
Morphological study of kinetic roughening on amorphous and microcrystalline silicon surface
M. Kondo, T. Ohe, K. Saito, T. Nishimiya and A. Matsuda 890
Morphological and crystallographic defect properties of microcrystalline silicon: a comparison between different growth modes
L. Houben, M. Luysberg, P. Hapke, O. Vetterl, F. Finger, R. Carius and H. Wagner 896
Role of the deposition conditions on the properties presented by nanocrystallite silicon films produced by hot wire
R. Martins, I. Ferreira, F. Fernandes and E. Fortunato 901
Bimodal crystal size distribution in annealed r.f. magnetron silicon films: a memory effect of the local order inhomogeneities in the initial amorphous state
H. Touir, J. Dixmier, K. Zellama, J.-F. Morhange and P. Elkaim 906
Infrared and photoelectron spectroscopy of semi-insulating silicon layers
M. Trchová, J. Zemek and K. Jurek 911

Section 12. Recrystallization

Conductive microcrystalline-Si films produced by laser processing
B. Dahlheimer, U. Karrer, C.E. Nebel and M. Stutzmann 916

Growth mechanisms in laser crystallization and laser interference crystallization
G. Aichmayr, D. Toet, M. Mulato, P.V. Santos, A. Spangenberg and R.B. Bergmann 921

Crystallization of amorphous Si films for thin film solar cells
A. Wohllebe, R. Carius, L. Houben, A. Klatt, P. Hapke, J. Klomfaß and H. Wagner 925

Short-pulse laser crystallization and structuring of a-Ge
M. Mulato, D. Toet, G. Aichmayr, A. Spangenberg, P.V. Santos and I. Chambouleyron 930

One-dimensional, self-organized Si dots grown by pulsed laser melting of a-Si:H films
K. Chen, G. Luo, M. Wang, X. Gao, J. Xu, M. Wang, X. Huang and N. Ming 934

Si-nanostructures made by laser-annealing
G. Groos and M. Stutzmann 938

Structural relaxation of amorphous silicon during thermal and CW laser annealing
O. Gamulin, M. Ivanda, U.V. Desnica and K. Furić 943

Properties of n^+ and p^+ polysilicon thin films fabricated by an excimer laser-activated spin-on dopant technique
E.A. Al-Nuaimy, J.M. Marshall and S. Muhl 949

Crystallization of a-Si:H films by rapid thermal annealing
A. Szekeres, M. Gartner, F. Vasiliu, M. Marinov and G. Beshkov 954

Crystallization of hydrogenated amorphous silicon deposited at high rate by dc magnetron sputtering
M. Aoucher, G. Farhi and T. Mohammed-Brahim 958

From amorphous to polycrystalline thin films: dependence on annealing time of structural and electronic properties
T. Mohammed-Brahim, K. Kis-Sion, D. Briand, M. Sarret, O. Bonnaud, J.P. Kleider, C. Longeaud and B. Lambert 962

Section 13. Electronic property and transport

Optical properties of microcrystalline materials (Invited paper)
M. Vaněček, A. Poruba, Z. Remeš, N. Beck and M. Nesládek 967

Enhanced optical absorption in hydrogenated microcrystalline silicon: an absorption model
F. Diehl, M. Scheib, B. Schröder and H. Oechsner 973

Correlation between structure and optoelectronic properties of undoped microcrystalline silicon
F. Siebke, S. Yata, Y. Hishikawa and M. Tanaka 977

Electronic and optical properties of hot-wire-deposited microcrystalline silicon
R. Brüggemann, A. Hierzenberger, P. Reinig, M. Rojahn, M.B. Schubert, S. Schweizer, H.N. Wanka and I. Zrinščak 982

Structural and electrical anisotropy and high absorption in poly-Si films prepared by catalytic chemical vapor deposition
A. Masuda, R. Iiduka, A. Heya, C. Niikura and H. Matsumura 987

The transport mechanism in micro-crystalline silicon
H. Overhof, M. Otte, M. Schmidtke, U. Backhausen and R. Carius 992

Structural properties and electronic transport in intrinsic microcrystalline silicon deposited by the VHF-GD technique
M. Goerlitzer, P. Torres, N. Beck, N. Wyrsch, H. Keppner, J. Pohl and A. Shah 996

In situ characterization of microcrystalline silicon by time resolved microwave conductivity
R. Brenot, P. Bulkin, P. Roca i Cabarrocas, B. Drévillon and R. Vanderhaghen 1001

On the transport properties of microcrystalline silicon
A. Fejfar, N. Beck, H. Stuchlíková, N. Wyrsch, P. Torres, J. Meier, A. Shah and J. Kočka 1006

Charge transport in microcrystalline silicon films
D. Ruff, H. Mell, L. Tóth, I. Sieber and W. Fuhs 1011

Anomalous grain boundary and carrier transport in cat-CVD poly-Si films
A. Heya, A.-Q. He, N. Otsuka and H. Matsumura 1016
ESR and transport in microcrystalline silicon
K. Lips, P. Kanschat, D. Will, C. Lerner and W. Fuhs 1021
Doping and temperature dependence of paramagnetic states in microcrystalline silicon
J. Müller, F. Finger, C. Malten and H. Wagner 1026
Light induced phenomena in microcrystalline silicon
M. Kondo, T. Nishimiya, K. Saito and A. Matsuda 1031
Site selective excitation spectroscopy of silicon nanocrystals
Y. Kanemitsu and S. Okamoto 1036
Optical spectra of crystalline silicon particles embedded in an amorphous silicon matrix
D. Kwon, H. Lee, J.D. Cohen, H.-C. Jin and J.R. Abelson 1040
Room temperature visible photoluminescence from crystallized nano-Si thin films
W. Wu, X. Huang, K. Chen, J.B. Xu, X. Gao, J. Xu and W. Li 1045
Photoluminescence of porous silicon prepared from crystallized a-Si:H films
P. Danesh, L. Bedikjan, I. Savatinova and E. Liarokapis 1049
Surface recombination model of visible luminescence in porous silicon
Z. Hajnal and P. Deák 1053
Light emission from Ge and GeO_2 nanocrystals
M. Zacharias and P.M. Fauchet 1058

Section 14. Miscellaneous microcrystalline materials

Preparation of polycrystalline and microcrystalline germanium composite films by codeposition of active additives
P.B. Barna, M. Adamik, U. Kaiser and H. Hobert 1063
A study of the growth-mechanism and properties of microcrystalline silicon–germanium
G. Ganguly, M. Fukawa, T. Ikeda and A. Matsuda 1069
Structural and electrical properties of poly-SiGe thin films prepared by reactive thermal CVD
K. Shiota, D. Inoue, K. Minami and J. Hanna 1074
Muon studies on polycrystalline and hydrogenated amorphous germanium
E. Mytilineou, M. Kay, E.A. Davis and S.F.J. Cox 1079
Origin of the D peak in the Raman spectrum of microcrystalline graphite
I. Pócsik, M. Hundhausen, M. Koós and L. Ley 1083
DC electrical properties of amorphous carbon with different bonding hybridization
S.H. Moustafa, M. Koós and I. Pócsik 1087
Microcrystalline thin metal oxide films for optoelectronic applications
A. Malik, A. Sêco, E. Fortunato and R. Martins 1092
Photoluminescence study of nano-crystalline GaN and AlN grown by reactive sputtering
K. Abe, S. Nonomura, S. Kobayashi, M. Ohkubo, T. Gotoh, M. Nishio, S. Nitta, S. Okamoto and Y. Kanemitsu 1096

Part III: Applications

Section 15. Interfaces and multilayers

Electron emission from amorphous silicon thin films
S.R.P. Silva, R.D. Forrest and J.M. Shannon 1101
Electronic behaviour and field emission of a-C:H:N/Si heterojunctions
D.A.I. Munindradasa, M. Chhowalla, G.A.J. Amaratunga, S.R.P. Silva and 3000 1106

Stability and interdiffusion at the a-C/Si(100) interface
S. Logothetidis, M. Gioti and P.C. Kelires 1113
a-Si:H/a-SiC:H waveguides and modulators for low-cost silicon-integrated optoelectronics
G. Cocorullo, F.G. della Corte, R. de Rosa, I. Rendina, A. Rubino and E. Terzini 1118
a-Si:H/c-Si heterostructures prepared by 55 kHz glow discharge high-rate deposition technique
B.G. Budaguan, A.A. Sherchenkov, V.D. Chernomordic, A.V. Biriukov and L.Y. Ljungberg 1123
Photoluminescence and electroluminescence properties of a-$Si_{1-x}N_x$:H based superlattice structures
C. Summonte, R. Rizzoli, R. Galloni, F. Giorgis, F. Giuliani, C.F. Pirri, E. Tresso, A. Desalvo, F. Zignani and P. Rava 1127
Nanocrystalline silicon superlattices: fabrication and characterization
M. Zacharias, L. Tsybeskov, K.D. Hirschman, P.M. Fauchet, J. Bläsing, P. Kohlert and P. Veit 1132
Superlattice structures based on amorphous carbon
S.R.P. Silva, Rusli, K.P. Homewood and G.A.J. Amaratunga 1137
Alteration of spontaneous emission in hydrogenated amorphous silicon nitride microcavities
A. Serpengüzel, A. Aydinli and A. Bek 1142

Section 16. Diodes

Novel amorphous silicon alloy optoelectronic integrated circuits
D. Kruangam, T. Sujaridchai, K. Chirakawikul, B. Ratwises and S. Panyakeow 1146
Amorphous silicon suboxide light-emitting diodes
R. Janssen, U. Karrer, D. Dimova-Malinovska and M. Stutzmann 1151
Preparation of p-type polycrystalline diamond films and their applications to hole injection layers in amorphous SiC:H thin film light emitting diodes
K. Chirakawikul, T. Sujaridchai, B. Ratwises, D. Kruangam, S. Panyakeow, W. Boonkosum, T. Sugino and J. Shirafuji 1156
Electroluminescent properties of a-SiO_x:H alloys
P. Knápek, K. Luterová, I. Pelant, A. Fejfar, J. Kočka, J. Kudrna, P. Malý, R. Janssen and M. Stutzmann 1160
Room-temperature electroluminescence of Er-doped hydrogenated amorphous silicon
O. Gusev, M. Bresler, A. Kuznetsov, V. Kudoyarova, P. Pak, E. Terukov, K. Tsendin, I. Yassievich, W. Fuhs and G. Weiser 1164
Electrical characteristics of SiO_2/crystalline Si quantum dots/SiO_2 double-barrier diode
X. Gu, H. Qin, H. Lu, K. Chen and X. Huang 1168
Simulation of deep defect filling in n-type Schottky barrier structures
R. Brüggemann, H. Cordes and K. Lips 1173
Spin-dependent processes in a-Si:H Schottky barrier diodes
C. Lerner, K. Lips and W. Fuhs 1177
Temperature dependence of quantised resistance steps in electroformed metal–a-Si:H–metal structures
J. Hajto, B. Joo, B.J. Pendleton and A.E. Owen 1182
Constant current forming in Cr/p^+a-Si:H/V thin film devices
J. Hu, A.J. Snell, J. Hajto and A.E. Owen 1187
Modulation of threshold voltages in bidirectional a-Si:H switching devices
D. Caputo and G. de Cesare 1192

Section 17. Thin film transistors

Status of Si thin film transistors (Invited paper)
T. Sameshima 1196
Hydrogenated amorphous and polycrystalline silicon TFTs by hot-wire CVD
H. Meiling, A.M. Brockhoff, J.K. Rath and R.E.I. Schropp 1202

Defects in solid phase and laser crystallised polysilicon thin film transistors
F. Petinot, F. Plais, D. Mencaraglia, P. Legagneux, C. Reita, O. Huet and D. Pribat 1207
Enlargement of on/off current ratio in poly-silicon TFT by selective crystallization method
J.-H. Jeon, C.-M. Park, K.-Y. Choi, C.-H. Kim and M.-K. Han 1213
Photoresist-free fabrication process for a-Si:H thin film transistors
H. Gleskova, S. Wagner and D.S. Shen 1217
Minimization of dangling bond defects in hydrogenated silicon nitride dielectrics for thin film transistors (TFTs)
G. Lucovsky and J.C. Phillips 1221
Determination of the flatband voltage and the electron threshold voltage of a-Si:H based MIS structures by the feedback charge C–V method
I. Thurzo, S. Teramura, R. Durný, V. Nádaždy, M. Kumeda and T. Shimizu 1226
Thin oxide interface layers in a-Si:H MIS structures
E. Fortunato, A. Malik and R. Martins 1230
A study of interface state density between a-Si:H and insulating layer in terms of plasma surface reaction
I. Umezu, T. Tsuchida and K. Maeda 1235
Mobility of oligomeric thin film transistors prepared at rapid growth rates by pulsed laser deposition
A.J. Salih, J.M. Marshall and J.M. Maud 1240
Preparation of field effect transistor using nano-crystalline GaN
S. Kobayashi, S. Nonomura, K. Abe, K. Ushikoshi and S. Nitta 1245

Section 18. Solar cells

Recent progress in micromorph solar cells (Invited paper)
J. Meier, S. Dubail, J. Cuperus, U. Kroll, R. Platz, P. Torres, J.A.A. Selvan, P. Pernet, N. Beck, N. Pellaton Vaucher, Ch. Hof, D. Fischer, H. Keppner and A. Shah 1250
Improvements in stability of amorphous silicon solar cells by using ECR-CVD processing
V.L. Dalal, T. Maxson, K. Han and S. Haroon 1257
Optical properties of a-SiGe:H solar cells on textured substrates
J.H. van den Berg, M. Zeman and J.W. Metselaar 1262
Effect of the optical gap on the temperature dependence of a-SiGe solar cell stability
A. Terakawa, M. Shima, M. Isomura, M. Tanaka, S. Kiyama, S. Tsuda and H. Matsunami 1267
Microcrystalline p–i–n cells: a drift-controlled device?
N. Wyrsch, P. Torres, J. Meier and A. Shah 1272
Limited influence of grain boundary defects in hot-wire CVD polysilicon films on solar cell performance
J.K. Rath, A. Barbon and R.E.I. Schropp 1277
Microcrystalline n- and p-layers at the tunnel junction of a-Si:H/a-Si:H tandem cells
J.K. Rath, F.A. Rubinelli and R.E.I. Schropp 1282
Characteristics of field effect a-Si:H solar cells
H. Fujioka, M. Oshima, C. Hu, M. Sumiya, N. Matsuki, K. Miyazaki and H. Koinuma 1287
Photocarrier collection in a-SiC:H/c-Si heterojunction solar cells
M.W.M. van Cleef, F.A. Rubinelli, J.K. Rath, R.E.I. Schropp, W.F. van der Weg, R. Rizzoli, C. Summonte, R. Pinghini, E. Centurioni and R. Galloni 1291
The influence of deeply-trapped charge on the transient photocurrent response of a-Si:H solar cells
B. Stannowski, H. Cordes, R. Brüggemann, Th. Eickhoff, S. Bröcheler and H. Wagner 1295

Section 19. Sensors

Amorphous silicon X-ray detectors (Invited paper)
M. Hoheisel, M. Arques, J. Chabbal, C. Chaussat, T. Ducourant, G. Hahm, H. Horbaschek, R. Schulz and M. Spahn 1300

High performance amorphous silicon image sensor arrays
R.A. Street, R.B. Apte, T. Granberg, P. Mei, S.E. Ready, K.S. Shah and R.L. Weisfield 1306
A two-dimensional visible/infrared detector based on μc-Si:H p–i–n structures
M. Vieira, A. Maçarico, E. Morgado, S. Koynov and R. Schwarz 1311
Metastability effect in solar blind UV amorphous silicon carbide photodetector
D. Caputo, G. de Cesare, F. Irrera and M. Tucci 1316
Four terminal color detector for digital signal processing
D. Knipp, H. Stiebig, J. Fölsch and H. Wagner 1321
Stacked a-Si:H-based three-colour detectors
M. Topič, F. Smole, J. Furlan and W. Kusian 1326
Three color piiin-detector using microcrystalline silicon
H. Stiebig, D. Knipp, P. Hapke and F. Finger 1330
Colour separation in a-Si:H based p-i-i-n sensors: temperature and intensity dependence
T. Neidlinger, R. Brüggemann, H. Brummack and M.B. Schubert 1335
Driving of a-Si:H adjustable threshold three color detectors for video applications
F. Irrera, F. Lemmi and F. Palma 1340
1/f noise in a-$Si_{1-x}C_x$:H thin films as novel thermistor materials for micro-machined IR sensors
T. Ichihara and K. Aizawa 1345
Amorphous silicon sensors: from photo to chemical detection
E. Fortunato, A. Malik, A. Sêco, I. Ferreira and R. Martins 1349
Amorphous silicon sensors for oxidised porous silicon optical waveguides buried in silicon wafers
G. de Cesare, G. Maiello, G. Masini, V. Bondarenko and A. Ferrari 1354
Metallic electrical contacts to stabilized amorphous selenium for use in X-ray image detectors
R.E. Johanson, S.O. Kasap, J. Rowlands and B. Polischuk 1359

Author index Parts A and B 1363
Subject index Parts A and B 1381